



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/656,551	09/05/2003	Diana K. Smetters	PARC-DA3162Q	8170
35699	7590	09/30/2008	EXAMINER	
PVF -- PARC c/o PARK, VAUGHAN & FLEMING LLP 2820 FIFTH STREET DAVIS, CA 95618-7759			NGUYEN, KHAI MINH	
			ART UNIT	PAPER NUMBER
			2617	
			MAIL DATE	DELIVERY MODE
			09/30/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/656,551	Applicant(s) SMETTERS ET AL.	
	Examiner KHAI M. NGUYEN	Art Unit 2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 July 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/18/2008 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Balfanz et al. (Talking to Strangers: Authentication in Ad-Hoc Wireless Networks) in view of Weiner et al. (U.S.Pub-20060030759), in view of Hermann, Reto (EP 1024626), and further in view of Lowensohn et al. (U.S.Pub-20040230809).

Regarding claim 1, Balfanz teaches a computer controlled method comprising:

establishing communication between the medical sensor (item A) and a provisioning device (Item B) over the location-limited channel (fig.3, [2.1]), the wireless sensor configured to send the security credential to the provisioning device over the location-limited channel (fig.3, [2.1]-[3]) and to receive a commitment from the provisioning device over the location-limited channel (fig.3, [2]-[3]);

receiving at least one of provisioning information or additional application-specific information, site-specific information, network-specific information, or other information that can be used by the wireless sensor from the provisioning device (not specifically disclose) over the location-limited channel ([2.1]), wherein the provisioning information includes a credential (fig.3, [2]-[3]) and wherein the credential facilitates the wireless sensor become a member of a secure credential infrastructure (fig.5, section 4.1, [1]-[2]); and

Balfanz fails to specifically disclose providing a security credential to a medical wireless sensor associated with a patient at an enrollment station associated with a medical facility. However, Weiner teaches providing a security credential ([0058]) to a medical wireless sensor associated with a patient (item 22) at an enrollment station associated with a medical facility ([0099]-[0110]). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Weiner to Balfanz to detect the identity of the particular patient and inform the central station of the identity of that particular patient.

Balfanz and Weiner fail to specifically disclose receiving at least one of provisioning information or additional application-specific information, site-specific information, network-

specific information, or other information that can be used by the wireless sensor from said provisioning device.

However, Hermann teaches receiving at least one of provisioning information ([0020]) or additional application-specific information, site-specific information, network-specific information, or other information that can be used by the wireless sensor from said provisioning device ([0021]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Hermann to Balfanz and Weiner to prevent any accidental information exchange.

and, Balfanz, Weiner and Hermann fail to specifically disclose automatically configuring the wireless sensor for transmitting sensor information over a secure communication channel responsive to the provisioning information.

However, Lowensohn teaches automatically configuring the wireless sensor (fig.1, barb badge 100) for transmitting sensor information over a secure communication channel responsive to the provisioning information (fig.1, and 4, [0009]-[0010], [0059]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Lowensohn to Balfanz, Weiner and Hermann to detect the user orientation in the environment and security the information of user.

Regarding claim 2, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 1, wherein the provisioning information comprises a credential (see Lowensohn, [0038], [0043]).

Regarding claim 3, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 1, wherein the provisioning information further comprises one or more of patient data, limit data, alarm data, dosage data, interval data, access data, physician data, caregiver data, nurse data, insurance data or room assignment data (see Lowensohn, fig.4, [0004], [0059]).

Regarding claim 4, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 3, further comprising transmitting the sensor information over the secure communication channel (see Lowensohn, fig.1, [0009], [0271]).

Regarding claim 5, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 1, wherein the provisioning information further comprises one or more of sensitivity data, target data, image recognition data, or noise characteristics (see Lowensohn, [0038], [0043]).

Regarding claim 6, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 1, wherein the wireless sensor senses one or more of medical information, location information, proximity information, environmental information, or vehicle information (see Lowensohn, [0043]-[0044]).

Regarding claim 7, Balfanz teaches a computer-readable storage medium storing instructions that when executed by a computer cause the computer to perform a method comprising steps of:

establishing communication between the medical sensor (item A) and a provisioning device (Item B) over the location-limited channel (fig.3, [2.1] and 3), the wireless sensor configured to send the security credential to the provisioning device over the location-limited channel (fig.3, [2.1]-[3]) and to receive a commitment from the provisioning device over the location-limited channel (fig.3, [2.1]-[3]);

receiving at least one of provisioning information or additional application-specific information, site-specific information, network-specific information, or other information that can be used by the wireless sensor from the provisioning device (not specifically disclose) over the location-limited channel ([2.1]), wherein the provisioning information includes a credential (fig.3, [2]-[3]) and wherein the credential facilitates the wireless sensor become a member of a secure credential infrastructure (fig.5, section 4.1, [1]-[2]); and

Balfanz fails to specifically disclose providing a security credential to a medical wireless sensor associated with a patient at an enrollment station associated with a medical facility. However, Weiner teaches providing a security credential ([0058]) to a medical wireless sensor associated with a patient (item 22) at an enrollment station associated with a medical facility ([0099]-[0110]). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Weiner to Balfanz to detect the identity of the particular patient and inform the central station of the identity of that particular patient.

Balfanz and Weiner fail to specifically disclose receiving at least one of provisioning information or additional application-specific information, site-specific information, network-

specific information, or other information that can be used by the wireless sensor from said provisioning device.

However, Hermann teaches receiving at least one of provisioning information ([0020]) or additional application-specific information, site-specific information, network-specific information, or other information that can be used by the wireless sensor from said provisioning device ([0021]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Hermann to Balfanz and Weiner to prevent any accidental information exchange.

and, Balfanz, Weiner and Hermann fail to specifically disclose automatically configuring the wireless sensor for transmitting sensor information over a secure communication channel responsive to the provisioning information.

However, Lowensohn teaches automatically configuring the wireless sensor (fig.1, barb badge 100) for transmitting sensor information over a secure communication channel responsive to the provisioning information (fig.1, and 4, [0009]-[0010], [0059]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Lowensohn to Balfanz, Weiner and Hermann to detect the user orientation in the environment and security the information of user.

Regarding claim 8, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 7, wherein the provisioning information comprises a credential (see Lowensohn, [0038], [0043]).

Regarding claim 9, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 7, wherein the provisioning information further comprises one or more of patient data, limit data, alarm data, dosage data, interval data, access data, physician data, caregiver data, nurse data, insurance data or room assignment data (see Lowensohn, fig.4, [0004], [0059]).

Regarding claim 10, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 9, further comprising transmitting the sensor information over the secure communication channel (see Lowensohn, fig.1, [0009], [0271]).

Regarding claim 11, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 7, wherein the provisioning information further comprises one or more of sensitivity data, target data, image recognition data, or noise characteristics (see Lowensohn, [0038], [0043]).

Regarding claim 12, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 7, wherein the wireless sensor senses one or more of medical information, location information, proximity information, environmental information, or vehicle information (see Lowensohn, [0043]-[0044]).

Regarding claim 13, Balfanz teaches a wireless apparatus comprising:

at least one port configured to establish a location-limited channel (fig.3, section 3.2, [2]);

a preferred channel communication mechanism configured to establish communication with a provisioning device over the location-limited channel (fig.3, [2.1]), the preferred channel

communication mechanism further configured to send the security credential to the provisioning device over the location-limited channel (fig.3, [2.1]-[3]) and to receive commitment from said provisioning device over the location-limited channel (fig.3, [2.1]-[3]);

a receiver mechanism configured to receive receiving at least one of provisioning information or additional application-specific information, site-specific information, network-specific information, or other information that can be used by the wireless sensor from the provisioning device (not specifically disclose) over the location-limited channel ([2.1]), wherein the provisioning information includes a credential (fig.3, [2]-[3]) and wherein the credential facilitates the wireless sensor become a member of a secure credential infrastructure (fig.5, section 4.1, [1]-[2]); and

Balfanz fails to specifically disclose a mechanism configured to provide a security credential to a medical wireless sensor associated with a patient at an enrollment station associated with a medical facility. However, Weiner teaches a mechanism configured to provide a security credential ([0058]) to a medical wireless sensor associated with a patient (item 22) at an enrollment station associated with a medical facility ([0099]-[0110]). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Weiner to Balfanz to detect the identity of the particular patient and inform the central station of the identity of that particular patient.

Balfanz and Weiner fail to specifically disclose a receiver mechanism configured to receive at least one of provisioning information or additional application-specific information,

site-specific information, network-specific information, or other information that can be used by the wireless sensor from said provisioning device.

However, Hermann teaches a receiver mechanism configured to receive at least one of provisioning information ([0020]) or additional application-specific information, site-specific information, network-specific information, or other information that can be used by the wireless sensor from said provisioning device ([0021]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Hermann to Balfanz and Weiner to prevent any accidental information exchange.

Balfanz, Weiner and Hermann fail to specifically disclose an automatic configuration mechanism to enable the wireless sensor to transmit sensor information over a secure communication channel established responsive to said provisioning information.

However, Lowensohn teaches an automatic configuration mechanism to enable the wireless sensor (fig.1, barb badge 100) to transmit sensor information over a secure communication channel established responsive to said provisioning information (fig.1, and 4, [0009]-[0010], [0059]). It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the teaching of Lowensohn to Balfanz, Weiner and Hermann to detect the user orientation in the environment and security the information of user.

Regarding claim 14, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, wherein the provisioning information comprises a credential (see Lowensohn, [0038], [0043]).

Regarding claim 15, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, wherein the provisioning information further comprises one or more of patient data, limit data, alarm data, dosage data, interval data, access data, physician data, caregiver data, nurse data, insurance data, room assignment data, sensitivity data, target data, image recognition data, activation data, or noise characteristics (see Lowensohn, fig.4, [0004], [0059]).

Regarding claim 16, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 15, further comprising a transmission mechanism configured to transmit the sensor information over the secure communication channel (see Lowensohn, fig.1, [0009], [0271]).

Regarding claim 17, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, further comprising a sensor for measuring the sensor information (see Lowensohn, [0009]-[0010], [0038], [0043]).

Regarding claim 18, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, wherein the wireless sensor senses one or more of medical information, location information, proximity information, environmental information, or vehicle information (see Lowensohn, [0043]-[0044]).

Regarding claim 19, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, wherein the sensor information is status information about the apparatus (see Lowensohn, fig.1, and 14a, [0009]-[0010], [0037]).

Regarding claim 20, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 1, wherein the location-limited channel (see Balfanz, [2.1]) comprises a single preferred channel capable of communicating both from the wireless sensor to the provisioning device (see Balfanz, fig.3, section 3.1, [2]-[3]) and from the provisioning device to the wireless sensor (see Balfanz, fig.3, section 3.1, [2]-[3]).

Regarding claim 21, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer controlled method of claim 1, wherein the location-limited channel comprises two separate channels, including a first location-limited capable of communicating from said wireless sensor to said provisioning device (see Balfanz, fig.3, section 3.1, [2]-[3]) and a second location-limited channel capable of communicating from said provisioning device to said wireless sensor (see Balfanz, fig.3, section 3.1, [2]-[3]).

Regarding claim 22, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 7, wherein the location-limited channel comprises a single location-limited channel capable of communicating both from said wireless sensor to said provisioning device (see Balfanz, fig.3, section 3.1, [2]-[3]) and from the provisioning device to the wireless sensor (see Balfanz, fig.3, section 3.1, [2]-[3]).

Regarding claim 23, Balfanz, Weiner, Hermann, and Lowensohn further teach the computer-readable storage medium of claim 7, wherein the location-limited channel comprises two separate channels, including a first location-limited channel capable of communicating from said wireless sensor to said provisioning device (see Balfanz, fig.3, section 3.1, [2]-[3]) and a

second location-limited channel capable of communicating from said provisioning device to said wireless sensor (see Balfanz, fig.3, section 3.1, [2]-[3]).

Regarding claim 24, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, wherein said at least one preferred channel comprises a single location-limited channel capable of communicating both from the wireless sensor to said provisioning device (see Balfanz, fig.3, section 3.1, [2]-[3]) and from the provisioning device to the wireless sensor (see Balfanz, fig.3, section 3.1, [2]-[3]).

Regarding claim 25, Balfanz, Weiner, Hermann, and Lowensohn further teach the apparatus of claim 13, wherein the location-limited channel comprises two separate channels, including a first location-limited channel capable of communicating from the wireless sensor to said provisioning device (see Balfanz, fig.3, section 3.1, [2]-[3]) and a second location-limited channel capable of communicating from the provisioning device to the wireless sensor (see Balfanz, fig.3, section 3.1, [2]-[3]).

Response to Arguments

Applicant's arguments with respect to claims 1-25 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KHAI M. NGUYEN whose telephone number is (571)272-7923. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vincent P. Harper can be reached on 571.272.7605. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/George Eng/
Supervisory Patent Examiner, Art Unit 2617

/Khai M Nguyen/
Examiner, Art Unit 2617

9/25/2008